



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

PURE COPPER PVC CONNECTOR



| MAXI 380V | |
|-----------|----------|
| 5A | 1000 PCS |
| 10A | 1000 PCS |
| 15A | 500 PCS |
| 20A | 500 PCS |



| DUWAY 380V | |
|------------|----------|
| 6A | 1000 PCS |
| 10A | 800 PCS |
| 16A | 500 PCS |
| 20A | 500 PCS |
| 30A | 300 PCS |
| 60A | 200 PCS |



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



HANDLE CUT OUT FS-01

63A / 100A BLADE FUSE

60PCS/CTN



WINDOW CUT OUT FS-02

63A / 100A
INDICATOR BLADE FUSE

60PCS/CTN



60A GUARD CUT OUT CK-60

100PCS/CTN



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



LUCY 63A NEUTRAL LINK

200PCS/CTN




NEON INDICATOR BLADE FUSE

- 63A
- 100A

BLADE FUSE

- 32A
- 63A
- 100A
- 160A

200PCS/CTN



DULITE 6A PHOTOCCELL CONTROL

200PCS/CTN



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

OUTDOOR STRING HOLDER



HOLDER

WIRE MATERIAL

IP RATING

CONNECTION TYPE

E27

PURE COPPER

65

**PLUG + WEATHERPROOF
CONNECTOR**



VARIOUS LENGHT AND HOLDER

- 10M X 10 HOLDER
- 10M X 20 HOLDER
- 50M X 100 HOLDER
- 50M X 150 HOLDER
- 100M X 100 HOLDER
- 100M X 200 HOLDER
- 100M X 300 HOLDER






KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



DULITE 500V FAN CAPACITOR

- 1.5uF
- 1.8uF
- 2.0uF
- 2.2uF
- 2.5uF
- 3.0uF
- 3.5uF
- 4.0uF
- 4.5uF
- 5.0uF
- 5.5uF
- 6.0uF





**KENTAT PRO
ELECTRICAL (M) SDN BHD**

202301050464 (1544378-H)

PVC TAPE



**SINO 1805
18MM X 5MM**


- BLACK
- WHITE
- RED
- YELLOW
- BLUE
- GREEN

**SINO 1820
18MM X 20MM**

- BLACK

**SINO 2420
24MM X 20MM**

- BLACK





KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



13A SIRIM WALL SWITCH SOCKET



13A SIRIM WALL SWITCH SOCKET W/NEON



3 PIN TRAVEL ADAPTOR



3 PIN TRAVEL ADAPTOR W/NEON (FULL COPPER)

UK 3WAY ADAPTOR W/NEON



13A SIRIM PLUG TOP



13A PLUG TOP BAKELITE C/W NEON



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

HOLDER



**SE 2001
BC LAMPHOLDER
12/600PCS**



**SE 218
ES LAMPHOLDER
12/600PCS**



**BGS 293
BC WEDGE HOLDER
12/600PCS**



**PPS 383
ES WEDGE HOLDER
12/600PCS**



PVC CABLE GLAND

PG9 PG11 PG13.5 PG16 PG21



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



**SE 3041
BC ADAPTOR
24/1200PCS**



**SE 220
ES BATTEN HOLDER
12/360PCS**



2PIN FEMALE PLUG



2PIN MALE PLUG



**HIGH PRESSURE GAS
REGULATOR**



T8 LINE TAP

16MM 25MM 35MM 50MM



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

TRAILING SOCKETS



- 2G 2M/5M
- 3G 2M/5M
- 4G 2M/5M
- 5G 2M/5M
- 6G 2M/5M

30PCS/CTN




- 5G 2PIN 2M
60PCS/CTN



- FULL SIRIM HEAVY
DUTY CABLE REEL
(7METER)

10PCS/CTN






KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



BACK UP BATTERY



GP BACKUP BATTERY 12V 7.2AH






KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

WIRE PULLER




BLACK + YELLOW TWISTED
15 METER X 6MM
30 METER X 6MM



RED CABLE PULLER
15 METER X 4MM
30 METER X 4MM




BLUE CABLE PULLER W/STEEL
15 METER X 4MM
30 METER X 4MM





KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



BLACK WIRE + DIAMOND CUT

120L 3 COLOR EXTRA BRIGHT DIAMOND 30M





KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



BLACK WIRE + BUBBLE BALL

120L 3 COLOR EXTRA BRIGHT BUBBLE BALL 30M





**KENTAT PRO
ELECTRICAL (M) SDN BHD**

202301050464 (1544378-H)



LED SERIES

LED GLASS TUBE

Du-lite®

20Watt

COLOR : 6500K

LUMENS : 2000 LM

CRI : >70

P.F : >0.5

SIZE : 1200MM / 4FT

QTY : 30PCS / CTN



30Watt

COLOR : 6500K

LUMENS : 3400 LM

CRI : >70

P.F : >0.5

SIZE : 1200MM / 4FT

QTY : 30PCS / CTN





KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

EARTH ROD



12MM X 1.5M
13.5MM X 1.5M
13.5MM X 1.68M



12MM COUPLER
13/7MM COUPLER



A CLAMP



G CLAMP



**KENTAT PRO
ELECTRICAL
(M) SDN BHD**

LED FLOODLIGHT RGB



Specifications

| Model | WL-FLPRO20WRGB | WL-FLPRO50WRGB | WL-FLPRO100WRGB | WL-FLPRO150WRGB |
|------------------|-------------------|----------------|-----------------|-----------------|
| Power | 20W | 50W | 100W | 150W |
| Input Voltage | AC100-240V | AC100-240V | AC100-240V | AC100-240V |
| CRI | >Ra80 | >Ra80 | >Ra80 | >Ra80 |
| Lifetime | 50,000 Hours | 50,000 Hours | 50,000 Hours | 50,000 Hours |
| IP | IP65 | IP65 | IP65 | IP65 |
| Beam Angle | 90° | 90° | 90° | 90° |
| Protection Class | CL I | CL I | CL I | CL I |
| Surge Protection | No | No | No | No |
| Lumen | 2000LM | 5000LM | 10000LM | 15000LM |
| LED Chips | 24 pcs | 72 pcs | 144 pcs | 180 pcs |
| Material | Die Cast Aluminum | | | |
| Size (mm) | 138x25x113 | 190x25x165 | 230x25x195 | 255x25x210 |




IP 65

**90°
BEAM
ANGLE**

**HIGH
BRIGHTNESS**

**LIFESPAN
50,000 HOURS**

Dimension





KENTAT PRO
ELECTRICAL (M) SDN BHD
 202301050464 (1544378-H)

LED FLOODLIGHT

Specifications

| Model | WL-FLPRO50W | WL-FLPRO100W | WL-FLPRO150W | WL-FLPRO200W |
|------------------|-------------------|--------------|--------------|--------------|
| Power | 50W | 100W | 150W | 200W |
| Input Voltage | AC100-240V | AC100-240V | AC100-240V | AC100-240V |
| CRI | >Ra80 | >Ra80 | >Ra80 | >Ra80 |
| Lifetime | 50,000 Hours | 50,000 Hours | 50,000 Hours | 50,000 Hours |
| IP | IP65 | IP65 | IP65 | IP65 |
| Beam Angle | 90° | 90° | 90° | 90° |
| Protection Class | CL I | CL I | CL I | CL I |
| Surge Protection | No | 10KV | 10KV | 10KV |
| Lumen | 5000LM | 10000LM | 15000LM | 20000LM |
| LED Chips | 72 pcs | 144 pcs | 180 pcs | 288 pcs |
| Material | Die Cast Aluminum | | | |
| Size (mm) | 190x25x165 | 230x25x195 | 255x25x210 | 315x25x220 |

- IP 65**
- 90° BEAM ANGLE**
- HIGH BRIGHTNESS**
- LIFESPAN 50,000 HOURS**
- MS SIRIM**

Dimension





**KENTAT PRO
ELECTRICAL (M) SDN BHD**

202301050464 (1544378-H)

Suruhanjaya Tenaga



Indoor Series LED SURFACE PANEL LIGHT



Warm White



Cool White



Daylight



Round



Square

Specifications

| Model | WL-R824/ WL-S824 | WL-R836/ WL-S836 | WL-R848/ WL-S848 |
|---------------|--|------------------|------------------|
| Power | 24W | 36W | 48W |
| Input Voltage | 170-240V | 170-240V | 170-240V |
| CRI | >Ra80 | >Ra80 | >Ra80 |
| Lifetime | 20,000 Hours | 20,000 Hours | 20,000 Hours |
| IP | IP20 | IP20 | IP20 |
| Lumen | 1920LM | 2880LM | 3840LM |
| Material | IRON+ PP | IRON+ PP | IRON+ PP |
| Beam Angle | 120° | 120° | 120° |
| CCT | Warm White (3000K)/ Cool White (4000K)/ Daylight (6500K) | | |

Dimension

175/ 225/ 300mm



40mm

175/ 225/ 300mm



40mm



**KENTAT PRO
ELECTRICAL (M) SDN BHD**

202301050464 (1544378-H)




LED SURFACE PANEL LIGHT

White


Specifications

| Model | WL-R912 | WL-R920 | WL-R930 |
|---------------|--|----------------------|----------------------|
| Power | 12W | 20W | 30W |
| Input Voltage | AC170-240V | AC170-240V | AC170-240V |
| CRI | >Ra80 | >Ra80 | >Ra80 |
| Lifetime | 25,000 Hours | 25,000 Hours | 25,000 Hours |
| Material | Metal+ Polypropylene | Metal+ Polypropylene | Metal+ Polypropylene |
| Beam Angle | 180° | 180° | 180° |
| Led Chips | SMD 2835 | SMD 2835 | SMD 2835 |
| IP | 20 | 20 | 20 |
| Lumen | 1200LM | 2000LM | 3000LM |
| CCT | Warm White (3000K)/ Cool White (4000K)/ Daylight (6500K) | | |
| Quantity/ Ctn | 40 | 30 | 20 |


Dimension



WL-R912



WL-R920



WL-R930



**KENTAT PRO
ELECTRICAL (M) SDN BHD**

202301050464 (1544378-H)





LED OFFICE LINEAR FITTING

Specifications

| Model | WL1030 | WL1040 |
|---------------|--------------|--------------|
| Power | 30W | 40W |
| Input Voltage | AC220V | AC220V |
| Beam Angle | 120° | 120° |
| Lifetime | 10,000 Hours | 10,000 Hours |
| IP | IP20 | IP20 |
| Lumen | 90lm/W | 90lm/W |
| Material | PVC+PC | PVC+PC |
| Length(mm) | 1185x50 | 1185x70 |
| LED Type | SMD2835 | SMD2835 |

Dimension



Installation Method



Surface mounted



Suspension



Natural White



Daylight



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



| MODEL | POWER SUPPLY 60W | POWER SUPPLY 100W | POWER SUPPLY 200W | POWER SUPPLY 300W | POWER SUPPLY 400W |
|-------------------|------------------------|----------------------------|---------------------------|--------------------------|--------------------------|
| Power / In | 60W | 100W | 200W | 300W | 400W |
| Inout Voltage | 220 - 240V | 220 - 240V | 220 - 240V | 220 - 240V | 220 - 240V |
| Output Voltage | 12V - 5A 24V - 2.5A | 12V - 8.33A 24V - 4.17A | 12V - 16.7A 24V - 8.3A | 12V - 25A 24V - 12.5A | 12V - 33A 24V - 16.6A |
| Material | ALUMINIUM | ALUMINIUM | ALUMINIUM | ALUMINIUM | ALUMINIUM |
| IP | 20 | 20 | 20 | 20 | 20 |
| Dismension (mm) | 35 X 123 X 20MM | 50 X 140 X 23MM | 50 X 180 X 23MM | 60 X 187 X 28MM | 60 X 220 X 28MM |
| Quantity (ctn) | 120PCS | 90PCS | 90PCS | 60PCS | 60PCS |



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

LED T5 Series

Material : PVC
Input Voltage : AC 170-265V
Beam Angle : 120°
IP Degree : IP 20



| Model | Watt | Color | Lumen | Size | Per |
|-------|------|----------|-------|-------------------|-------|
| WL-T5 | 12W | 3 COLOUR | 1200 | 574 x 23 x 35 mm | 50pcs |
| WL-T5 | 16W | 3 COLOUR | 1600 | 870 x 23 x 35 mm | 50pcs |
| WL-T5 | 22W | 3 COLOUR | 2650 | 1168 x 23 x 35 mm | 50pcs |







KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

LED Blub Series

Input Voltage : AC 85-265V
 Bean Angle : 360°
 IP Degree : IP 20




| Model | Color | Lamp | Lumen | Size | CTN |
|------------|--------------|--------|-------|-------------|--------|
| SK E27 12W | 3000K, 6000K | 12Watt | 960 | 28 x 82 mm | 100PCS |
| SK E27 12W | 3 COLOUR | 12Watt | 960 | 28 x 82 mm | 100PCS |
| SK E14 12W | 3000K, 6000K | 12Watt | 960 | 28 X 87 mm | 100PCS |
| SK E14 12W | 3 COLOUR | 12Watt | 960 | 28 X 87 mm | 100PCS |
| SK E27 16W | 3000K, 6000K | 16Watt | 1080 | 30 x 96 mm | 100PCS |
| SK E27 16W | 3 COLOUR | 16Watt | 1080 | 30 x 96 mm | 100PCS |
| SK E14 16W | 3000K, 6000K | 16Watt | 1080 | 30 x 101 mm | 100PCS |
| SK E14 16W | 3 COLOUR | 16Watt | 1080 | 30 x 101 mm | 100PCS |
| SK E27 16W | 3000k+BLUE | 16Watt | 1080 | 30 x 96 mm | 100PCS |
| SK E27 16W | 6000K+BLUE | 16Watt | 1080 | 30 x 96 mm | 100PCS |



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



LED BULB

IP Degree : IP 20

Material : PC

Voltage : 220-240V




| <i>Model</i> | <i>Watt</i> | <i>Color Temperature</i> | <i>Lumen</i> | <i>Size</i> | <i>Packing Per Ctn</i> |
|---------------|-------------|--------------------------|--------------|-------------------|------------------------|
| <i>WL-A45</i> | <i>5W</i> | <i>3K,6K</i> | <i>450</i> | <i>40 x 80mm</i> | <i>100pcs</i> |
| <i>WL-A60</i> | <i>10W</i> | <i>3K,4K,6K</i> | <i>900</i> | <i>55 x 105mm</i> | <i>100pcs</i> |
| <i>WL-A65</i> | <i>12W</i> | <i>3K,4K,6K</i> | <i>1100</i> | <i>60 x 120mm</i> | <i>100pcs</i> |
| <i>WL-A70</i> | <i>15W</i> | <i>3K,4K,6K</i> | <i>1350</i> | <i>65 x 125mm</i> | <i>100pcs</i> |





KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)




| MODEL | WATTAGE | COLOR TEMPERATURE | LUMEN | SIZE | PACKING PER CTN. |
|----------|---------|---------------------|-------|-------------|------------------|
| WL-STICK | 10W | 3000K, 4000K, 6000K | 860 | 30 x 110 mm | 100pcs |
| WL-STICK | 15W | 3000K, 4000K, 6000K | 1425 | 40 x 125 mm | 100pcs |





KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



LED STICK BULB

IP Degree : IP 20

Material : Pc

Voltage : 220-240V



| <i>Model</i> | <i>Watt</i> | <i>Color Temperature</i> | <i>Lumen</i> | <i>Size</i> | <i>Packing Per Ctn</i> |
|-----------------|-------------|--------------------------|--------------|-------------------|------------------------|
| <i>WL-STICK</i> | <i>10W</i> | <i>3K,4K,6K</i> | <i>860</i> | <i>30 x 110mm</i> | <i>100pcs</i> |
| <i>WL-STICK</i> | <i>15W</i> | <i>3K,4K,6K</i> | <i>1425</i> | <i>40 x 125mm</i> | <i>100pcs</i> |






KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

LED Downlight



LED DOWNLIGHT

Specification

| | |
|-----------------------------|---|
| Model | : WL LED Downlight |
| Wattage | : 4" 12W 5" 18W 8" 24W |
| Light Source | : SMD LED (50x0,25w) SMD LED (80x0,25w) SMD LED (100x0,25w) |
| Power Factor | : PFC.9 |
| Lumen (lm) | : 1100LM 1750LM 2200LM |
| Color Rendering Index(CRI) | : Ra85> |
| Input Parameter | : AC 185 - 265V |
| Beam Angle | : 120° |
| Index Protection (IP) | : IP20 |
| Lifespan (Hrs) | : 25 000 hrs |
| Colour Temperature | : 6500K / 4000K / 3000K |
| Operation Temperature Range | : 20°C - 80°C |
| Casing Material | : Polypropylene(PP)+ ABS |
| Carton | : 12W (40pcs) 18W (30pcs) 24W (30pcs) |

Measurement (mm)

| Model | Ø | L | W | D |
|-----------------|-----|-----|-----|------|
| BH4R12W/BH4S12W | 120 | 140 | 140 | 25.5 |
| BH6R18W/BH6S18W | 150 | 170 | 170 | 25.5 |
| BH8R24W/BH8S24W | 200 | 225 | 225 | 25.5 |

Item Code

| Model | Watt | Size | C.C.T | Lumen |
|-----------|------|--------|---------------------|--------|
| WLR31212W | 12W | Round | 3000K, 4000K, 6500K | 1100lm |
| WLS31212W | 12W | Square | 3000K, 4000K, 6500K | 1100lm |
| WLR31818W | 18W | Round | 3000K, 4000K, 6500K | 1750lm |
| WLS31818W | 18W | Square | 3000K, 4000K, 6500K | 1750lm |
| WLR32424W | 24W | Round | 3000K, 4000K, 6500K | 2200lm |
| WLS32424W | 24W | Square | 3000K, 4000K, 6500K | 2200lm |



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

WOK LED

LED Panel Lights (DOB)

Material : Iron & Pc

VOLTAGE : 220-240V

LIGHTING ANGLE : 120°

IP Degree : IP 20



| Model | Watt | Color Temperature | Cut Hole | Lumen | Size | Packing Per Ctn |
|-------|------|----------------------|-------------|-------|-------------|--------------------|
| R288 | 12W | 6K | 115 mm | 1080 | 160 x 35 mm | 40pcs |
| S288 | 12W | 6K | 115 x 115mm | 1080 | 160 x 35 mm | 40pcs |
| R298 | 18W | 6K | 145 mm | 1620 | 200 x 35 mm | 30pcs |
| S298 | 18W | 6K | 145 x 145mm | 1620 | 200 x 35 mm | 30pcs |



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



Model : S808

Lamp : 3000K ,4000K ,6000K

:3 COLOUR

Power:16w

Size:120*120*H45mm

Cutout:65-110mm

Lumen:90-100lm/w

QTY/CTN:50pcs

Power:24w

Size:170*170*H45mm

Cutout:70-160mm

Lumen:100-110lm/w

QTY/CTN:30pcs

Power:36w

Size:225*225*H45mm

Cutout:75-210mm

Lumen:105-115lm/w

QTY/CTN:20pcs

SMD
2835
Sanan

PC
+
ALUMINUM

AC
85-265V
50/60HZ

CCT
WH NW WW
3C

180°

Ra 80

2 YEARS
WARRANTY

IP 20



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



Model : R808

**Lamp : 3000K , 4000K , 6000K
:3 COLOUR**

Power:16w

Size:120*H45mm

Lumen:90-100lm/w

QTY/CTN:50pcs

Power:24w

Size:170*H45mm

Lumen:100-115lm/w

QTY/CTN:30pcs

Power:36w

Size:225*H45mm

Lumen:105-115lm/w

QTY/CTN:20pcs

SMD
2835
Sanan

PC
+
ALUMINUM

AC
85-265V
50/60HZ

CCT
WH NW WW
3C



Ra 80

2 YEARS
WARRANTY

IP 20



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)


MODEL :

TR-T-1M-BK

TR-T-1M-WH

TR-T-2M-BK

TR-T-2M-WH



MODEL : TR-I-JOIN-BK

TR-I-JOIN-WH



MODEL : TR-L-JOIN-BK

TR-L-JOIN-WH





KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

TRACK LIGHT SERIES



CCT 3000K/4000K/6000K

Light Efficiency >80lm/w

GRID LINE TRACK LIGHT

| Power | Model | Dimension | Ra | Material | Beam Angle |
|-------|------------|-------------|----|-------------|------------|
| 10W | X01-10W-BK | 214*33*57mm | 80 | PC+Aluminum | 24 |
| 10W | X01-10W-WH | 214*33*57mm | 80 | PC+Aluminum | 24 |
| 20W | X01-20W-BK | 346*33*57mm | 80 | PC+Aluminum | 24 |
| 20W | X01-20W-WH | 346*33*57mm | 80 | PC+Aluminum | 24 |
| 30W | X01-30W-BK | 478*33*57mm | 80 | PC+Aluminum | 24 |
| 30W | X01-30W-WH | 478*33*57mm | 80 | PC+Aluminum | 24 |
| 40W | X01-40W-BK | 611*33*57mm | 80 | PC+Aluminum | 24 |
| 40W | X01-40W-WH | 611*33*57mm | 80 | PC+Aluminum | 24 |

FLOOD LINE TRACK LIGHT

| Power | Model | Dimension | Ra | Material | Beam Angle |
|-------|------------|-------------|----|-------------|------------|
| 10W | X02-10W-BK | 214*33*57mm | 80 | PC+Aluminum | 120 |
| 10W | X02-10W-WH | 214*33*57mm | 80 | PC+Aluminum | 120 |
| 20W | X02-20W-BK | 346*33*57mm | 80 | PC+Aluminum | 120 |
| 20W | X02-20W-WH | 346*33*57mm | 80 | PC+Aluminum | 120 |
| 30W | X02-30W-BK | 478*33*57mm | 80 | PC+Aluminum | 120 |
| 30W | X02-30W-WH | 478*33*57mm | 80 | PC+Aluminum | 120 |
| 40W | X02-40W-BK | 611*33*57mm | 80 | PC+Aluminum | 120 |
| 40W | X02-40W-WH | 611*33*57mm | 80 | PC+Aluminum | 120 |

TRI-COLOR FLOODLIGHT TRACK LIGHT

| Power | Model | Dimension | Ra | Material | Beam Angle | Power | Model | Dimension | Ra | Material | Beam Angle |
|-------|---------------|-------------|----|-------------|------------|-------|---------------|-------------|----|-------------|------------|
| 10W | X02-10W-BK-3C | 214*33*57mm | 80 | PC+Aluminum | 120 | 30W | X02-30W-BK-3C | 478*33*57mm | 80 | PC+Aluminum | 120 |
| 10W | X02-10W-WH-3C | 214*33*57mm | 80 | PC+Aluminum | 120 | 30W | X02-30W-WH-3C | 478*33*57mm | 80 | PC+Aluminum | 120 |
| 20W | X02-20W-BK-3C | 346*33*57mm | 80 | PC+Aluminum | 120 | 40W | X02-40W-BK-3C | 611*33*57mm | 80 | PC+Aluminum | 120 |
| 20W | X02-20W-WH-3C | 346*33*57mm | 80 | PC+Aluminum | 120 | 40W | X02-40W-WH-3C | 611*33*57mm | 80 | PC+Aluminum | 120 |



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



CCT 3000K/4000K/6000K TRACK LIGHT (50000 HOURS)

| Power | Model | Dimension | Ra | Light Efficiency | Material | Beam Angle |
|-------|---------------|--------------|----|------------------|--------------|------------|
| 10W | TR-210-10W-BK | 60*95*135mm | 80 | >80lm/w | ABS+Aluminum | 24 |
| 10W | TR-210-10W-WH | 60*95*135mm | 80 | >80lm/w | ABS+Aluminum | 24 |
| 20W | TR-220-20W-BK | 76*105*150mm | 80 | >80lm/w | ABS+Aluminum | 24 |
| 20W | TR-220-20W-WH | 76*105*150mm | 80 | >80lm/w | ABS+Aluminum | 24 |
| 30W | TR-230-30W-BK | 88*128*168mm | 80 | >80lm/w | ABS+Aluminum | 24 |
| 30W | TR-230-30W-WH | 88*128*168mm | 80 | >80lm/w | ABS+Aluminum | 24 |



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

Track Light Series

Material : Iron

IP Degree : IP 20



Model : TR-5111WH

Size : 104 x 142 x 175 mm

Holder : E27 Par30



Model : TR-5111BK

Size : 104 x 142 x 175 mm

Holder : E27 Par30



Model : TR-6111WH

Size : 109 x 190 x 355 mm

Holder : E27 Par30



Model : TR-6111BK

Size : 109 x 190 x 355 mm


Holder : E27 Par30



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

LED Blub Series
IP Degree : IP 20



| | |
|-----------------------|---------------------|
| Model | : WL-GU10-8W |
| Lamp | : 3 COLOUR |
| Lighting Angle | : 38° |




| | |
|-----------------------|----------------------------|
| Model | : WL-GU10-10W |
| Lamp | : 3000K,4000K,6000K |
| Lighting Angle | : 60° |
| Material | : Ceramics |



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

LED Blub Series



| | |
|--------------|----------------------------|
| Model | : WL-MR16-8W |
| Lamp | : 3000K,4000K,6000K |



| | |
|--------------|---|
| Model | : WL-GU10-8W |
| Lamp | : 3000K,4000K,6000K Blue,Green & Red |






**KENTAT PRO
ELECTRICAL (M) SDN BHD**

202301050464 (1544378-H)

LED Blub Series



Model :WL-MR16-3W

Lamp : RGB



Model :WL-GU10-3W

Lamp : RGB



Model :WL-E27-3W

Lamp : RGB



**KENTAT PRO
ELECTRICAL (M) SDN BHD**

202301050464 (1544378-H)

WOK LED LED BULB



**GU10 7W 3000K/4000K/6000K
GU10 7W 3COLOR**



MR16 7W 3000K/4000K/6000K



E27 7W 3000K/4000K/6000K



**KENTAT PRO
ELECTRICAL (M) SDN BHD**

202301050464 (1544378-H)

WOK LED



**GU10 7W DIMMABLE
3000K/4000K/6000K**



**24W E27 CORNBULB
3000K/ 6000K**

**24W E27 CORN BULB
3 COLOR**



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



SK-ST64-E27-4W/3000K SVOLCE



SK-ST64-E27-4W/3000K



SK-C35-E14-4W/3K & 6K



SK-C35-E27-4W/3K & 6K



SK-G45-E27-4W/3K & 6K





**KENTAT PRO
ELECTRICAL (M) SDN BHD**

202301050464 (1544378-H)

LED STRIP LIGHT
Voltage: 12V & 24V



LED STRIP 2835 120P 5M
3K, 4K, 6K



LED STRIP COB 2835 320P 5M
3K, 4K, 6K



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



R759BK
R789BK



R759WH
R789WH



R769BK
R799BK



R769WH
R799WH

| <i>Model</i> | <i>R759</i> | <i>R789</i> | <i>R769</i> | <i>R799</i> |
|--------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <i>Power Consumption</i> | <i>12 W</i> | <i>18 W</i> | <i>12 W</i> | <i>18 W</i> |
| <i>LED Chip</i> | <i>SMD 5730</i> | <i>SMD 5730</i> | <i>COB CHIP</i> | <i>COB CHIP</i> |
| <i>Lamp Size</i> | <i>100 X 100 mm</i> | <i>140 X 120 mm</i> | <i>99 X 99 mm</i> | <i>135 X 120 mm</i> |
| <i>Color Temperature</i> | <i>3000K or 6000K</i> | <i>3000K or 6000K</i> | <i>3000K or 6000K</i> | <i>3000K or 6000K</i> |
| <i>Lumen</i> | <i>1080</i> | <i>1620</i> | <i>1200</i> | <i>1800</i> |





**SURFACE EYE BALL
(IRON)**




S659BK/1



S659BK/2



S659WH/1



S659WH/2

| | | |
|------------------|-------------------------|--------------------------|
| Model | S659/1 | S659/2 |
| Holder | GU10 | GU10 |
| Lamp Size | 85 X 85 X 120 mm | 185 X 85 X 120 mm |





KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

Surface Eye Ball Series

Material : Iron

IP Degree : IP 20



R559BK



R559WH

Surface Down Light Series

| | | |
|------------------|--------------------|--------------------|
| <i>Model</i> | <i>R559WH</i> | <i>R559BK</i> |
| <i>Holder</i> | <i>GU10</i> | <i>GU10</i> |
| <i>Lamp Size</i> | <i>93 X 101 mm</i> | <i>93 X 101 mm</i> |



**KENTAT PRO
ELECTRICAL (M) SDN BHD**

202301050464 (1544378-H)

WOK LED

SURFACE EYEBALL SERIES

Material: Iron & Pc

Lamp: GU10



R603 WH

75 x 110 mm



R603 BK

75 x 110 mm



R603 WH+BK

75 x 110 mm



S603 WH

75 x 75 x 110 mm



S603 BK

75 x 75 x 110 mm



S603 WH+BK

75 x 75 x 110 mm



KENTAT PRO ELECTRICAL (M) SDN BHD


202301050464 (1544378-H)



RF80



HC-121-3W WH



HC-121-3W BK

| <i>Model</i> | <i>RF80-5W</i> | <i>HC-121</i> |
|--------------------------|-------------------|-------------------|
| <i>Power Consumption</i> | <i>5 W</i> | <i>3 W</i> |
| <i>LED Chip</i> | <i>COB</i> | <i>SMD 2835</i> |
| <i>Lamp Size</i> | <i>75 x 75 mm</i> | <i>60 x 10 mm</i> |
| <i>Color Temperature</i> | <i>3000K</i> | <i>3000K</i> |



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)



WL-N77-7W



WL-N3029-7W


| <i>Model</i> | <i>WL-N77-7W</i> | <i>WL-N3029-7W</i> |
|--------------------------|-----------------------|--------------------------|
| <i>Power Consumption</i> | <i>7 W</i> | <i>7 W</i> |
| <i>LED Chip</i> | <i>SMD</i> | <i>COB</i> |
| <i>Lumen</i> | <i>550</i> | <i>630</i> |
| <i>Lamp Size</i> | <i>95 x 45 mm</i> | <i>90 x 42 mm</i> |
| <i>Cut Hole</i> | <i>70 mm</i> | <i>70 mm</i> |
| <i>Color Temperature</i> | <i>3000K or 6000K</i> | <i>3000K or 6000K</i> |
| <i>Material</i> | <i>PC</i> | <i>Pc & Aluminum</i> |



R50/3W



S50/3W



HC-101-3W

Recessed LED Eye Ball Series

| <i>Model</i> | <i>R50/3W</i> | <i>S50/3W</i> | <i>HC-101-3W</i> |
|--------------------------|-------------------|-------------------|-------------------|
| <i>Power Consumption</i> | <i>3W</i> | <i>3W</i> | <i>3W</i> |
| <i>LED Chip</i> | <i>COB</i> | <i>COB</i> | <i>COB</i> |
| <i>Lamp Size</i> | <i>55 x 37 mm</i> | <i>60 x 37 mm</i> | <i>65 x 25 mm</i> |
| <i>Cut Hole</i> | <i>45 mm</i> | <i>45 mm</i> | <i>40 mm</i> |
| <i>Color Temperature</i> | <i>3000K</i> | <i>3000K</i> | <i>3000K</i> |





Recessed LED Eye Ball Series



R70



R90



S90



S90/10W

| <i>Model</i> | <i>R70/3W</i> | <i>R90/5W</i> | <i>S90/5W</i> | <i>S90/10W</i> |
|--------------------------|-------------------|-------------------|------------------------|-------------------------|
| <i>Power Consumption</i> | <i>3W</i> | <i>5W</i> | <i>5W</i> | <i>10W</i> |
| <i>LED Chip</i> | <i>COB</i> | <i>COB</i> | <i>COB</i> | <i>COB</i> |
| <i>Lamp Size</i> | <i>70 x 25 mm</i> | <i>90 x 30 mm</i> | <i>90 x 90 x 30 mm</i> | <i>90 x 173 x 30 mm</i> |
| <i>Cut Hole</i> | <i>55 mm</i> | <i>75 mm</i> | <i>75 x 75 mm</i> | <i>75 x 160mm</i> |
| <i>Color Temperature</i> | <i>3000K</i> | <i>3000K</i> | <i>3000K</i> | <i>3000K</i> |





KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

Recessed LED Eye Ball Series

Material : Aluminium

IP Degree : IP 20



COB-S5-5W



COB-S5-10W



COB-S5-15W



COB-S10-10W

| <i>Model</i> | <i>COB-S5-5W</i> | <i>COB-S5-10W</i> | <i>COB-S5-15W</i> | <i>COB-S10-10W</i> |
|--------------------------|-------------------|--------------------|--------------------|--------------------------|
| <i>Power Consumption</i> | <i>5 W</i> | <i>10 W</i> | <i>15 W</i> | <i>10 W</i> |
| <i>LED Chip</i> | <i>COB</i> | <i>COB</i> | <i>COB</i> | <i>COB</i> |
| <i>Lumen</i> | <i>500</i> | <i>1000</i> | <i>1500</i> | <i>1000</i> |
| <i>Lamp Size</i> | <i>92 X 92 mm</i> | <i>92 x 175 mm</i> | <i>92 x 265 mm</i> | <i>110 x 110 x 55 mm</i> |
| <i>Cut Hole</i> | <i>77 x 77 mm</i> | <i>77 x 160 mm</i> | <i>77 x 250 mm</i> | <i>90 x 90 mm</i> |
| <i>Color Temperature</i> | <i>3000K</i> | <i>3000K</i> | <i>3000K</i> | <i>3000K</i> |





KENTAT PRO ELECTRICAL (M) SDN BHD


202301050464 (1544378-H)

Recessed Flexible Eye Ball Series

Material : Die Cast Aluminium

Color : Black & White

Lamp : GU10



Model : R2606BK

Lamp Size : 92 X 25 mm

Cut Hole : 75 mm



Model : R2606WH

Lamp Size : 92 X 25 mm

Cut Hole : 75 mm



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

Recessed Flexible Eye Ball Series

Material : Die Cast Aluminium

Color : Black & White

Lamp : GU10




Model : S2606BK
Lamp Size : 92 X 92 X 25 mm
Cut Hole : 75 X 75 mm



Model : S2606BK/2
Lamp Size : 175 X 92 mm
Cut Hole : 160 X 75 mm



Model : S2606WH
Lamp Size : 92 X 92 X 25 mm
Cut Hole : 75 X 75 mm




Model : S2606WH/2
Lamp Size : 175 X 92 mm
Cut Hole : 160 X 75 mm





KENTAT PRO ELECTRICAL (M) SDN BHD


202301050464 (1544378-H)



Model : *WL2603BK*

Lamp Size : *100 X 100 X 39 mm*

Cut Hole : *88 X 88 mm*



| | |
|------------------|----------------------------|
| Model | : <i>WL2603BK/2L</i> |
| Lamp Size | : <i>100 X 185 X 39 mm</i> |
| Cut Hole | : <i>170 X 88 mm</i> |



Model : *WL2603BK/3L*

Lamp Size : *270 X 100 X 39 mm*

Cut Hole : *255 X 88 mm*



KENTAT PRO ELECTRICAL (M) SDN BHD


202301050464 (1544378-H)

Recessed Flexible Eye Ball Series

Material : High Quality Die Cast Aluminium


Color : White + Black

Lamp : GU10




| | |
|------------------|----------------------------|
| Model | : WL2603WH |
| Lamp Size | : 100 X 100 X 34 mm |
| Cut Hole | : 88 X 88 mm |

| | |
|------------------|----------------------|
| Model | : WL2602WH |
| Lamp Size | : 100 X 34 mm |
| Cut Hole | : 88 mm |



| | |
|------------------|----------------------------|
| Model | : WL2603WH/2L |
| Lamp Size | : 100 X 185 X 34 mm |
| Cut Hole | : 175 X 88 mm |



| | |
|------------------|----------------------------|
| Model | : WL2603WH/3L |
| Lamp Size | : 270 X 100 X 39 mm |
| Cut Hole | : 255 X 88 mm |



KENTAT PRO
ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

WOK LED

EYEBALL SERIES

Material: Iron

Lamp: GU10



S2102 WH

85 x 85 x 45mm

Cut Out: 75 x 75mm



S2102 BK

85 x 85 x 45mm

Cut Out: 75 x 75mm



S2102/2 WH

163 x 85 x 45mm

Cut Out: 150 x 75mm



S2102/2 BK

163 x 85 x 45mm

Cut Out: 150 x 75mm



**KENTAT PRO
ELECTRICAL (M) SDN BHD**

202301050464 (1544378-H)

WOK LED

EYEBALL CHASING

Material: Iron

Cut Out: 75mm

Lamp: GU10



R2103 WH

Size: 95mm x 45mm

R2103 BK

Size: 95mm x 45mm



S2103 WH

Size: 95mm x 95mm x 45mm

S2103 BK

Size: 95mm x 95mm x 45mm



**KENTAT PRO
ELECTRICAL (M) SDN BHD**

202301050464 (1544378-H)

WOK LED

SURFACE EYEBALL

Material: Iron

Lamp: GU10



R601 WH

Size: 80mm x 85mm



R601 BK

Size: 80mm x 85mm



S601 WH

Size: 80mm x 80mm x 85mm



S601 BK

Size: 80mm x 80mm x 85mm



**KENTAT PRO
ELECTRICAL (M) SDN BHD**

202301050464 (1544378-H)

LED SOLAR WALL LIGHT



WL923/3W



WL926/6W



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)


LED UNDERWATER LIGHT

MATERIAL:ABS

BODY COLOR:BLACK

IP DEGREE : IP 68

INPUT VOLTAGE: 12V/24V



Model:SL-36008

Watt:MR16

Size:D75*110mm



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

In Ground Lamp Series

Material : Die Cast Aluminium & 304 Stainless Steel

Diffuser : Tempered Glass

Lamp : MR16 or GU10

IP Degree : IP 67



Model : IG35001ST

Lamp : Gu 10

Size : 105 x 127 mm



Model : IG170ST

Lamp : E27 PAR30

Size : 170 x 200 mm



KENTAT PRO
ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

LED GARDEN LAMP SERIES

MATERIAL:ALUMINUM


LAMP:SMD

BODY COLOR:SBK

IP DEGREE : IP 65

BEAM ANGLE:15°

INPUT VOLTAGE: AC85-265V



Model:F026

Watt:9W

Size:D70*105mm



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

LED LAWN LAMP SERIES

MATERIAL:ALUMINUM

LAMP:SMD


BODY COLOR:SBK

IP DEGREE : IP 65



Model:G3701

Watt:12W
Size:D150*220mm



Model:G3702

Watt:12W
Size:150*150*220mm



**KENTAT PRO
ELECTRICAL (M) SDN BHD**

202301050464 (1544378-H)


LED LAWN LAMP SERIES

MATERIAL:ALUMINUM

LAMP:SMD

BODY COLOR:SBK



IP DEGREE : IP 65



Model:BL3701

Watt:12W

Size:D150*600mm



Model:BL3702

Watt:12W

Size:150*150*600mm





KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)


LED LAWN LAMP SERIES

MATERIAL:ALUMINUM

LAMP:SMD

BODY COLOR:SBK


IP DEGREE : IP 65



Model:BL3703

Watt:10W

Size:160*57*600mm



Model:W3703

Watt:10W

Size:160*57*145mm



KENTAT PRO
ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)


LED LAWN LAMP SERIES

MATERIAL:ALUMINUM

LAMP:GU10


BODY COLOR:SBK

IP DEGREE : IP 65



Model:BL8155

Size:108*108*800mm



Model:BL8133

Size:108*108*800mm



KENTAT PRO
ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)


LED GARDEN LAMP SERIES

MATERIAL:ALUMINUM

LAMP:GU10

BODY COLOR:SBK

IP DEGREE : IP 65



Model:LW3003

Size:D65*300mm



**KENTAT PRO
ELECTRICAL (M) SDN BHD**

202301050464 (1544378-H)


LED GARDEN LAMP SERIES

MATERIAL:ALUMINUM

LAMP:SMD

BODY COLOR:SBK

IP DEGREE : IP 65



Model:LW9001

Watt:12W

Size:D70*62mm



KENTAT PRO
ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)


LED GARDEN LAMP SERIES

MATERIAL:ALUMINUM

LAMP:GU10

BODY COLOR:SBK

IP DEGREE : IP 65



Model:LW2707

Size:D95*100mm



**KENTAT PRO
ELECTRICAL (M) SDN BHD**

202301050464 (1544378-H)

LED GARDEN LAMP SERIES


MATERIAL:ALUMINUM

LAMP:GU10

BODY COLOR:SBK

IP DEGREE : IP 65

INPUT VOLTAGE: AC85-265V



Model:LW-3005

Size:D60*345mm



KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)


LED GARDEN LAMP SERIES

MATERIAL:ALUMINUM

LAMP:SMD


BODY COLOR:SBK

IP DEGREE : IP 65




Model:LW9002/10W

Watt:10W
Size:D70mm




Model:W9002/15W

Watt:15W
Size:D95mm



Model:LW9002/20W

Watt:20W
Size:D130mm



Model:LW9002/25W

Watt:25W
Size:D150mm



| | | | | |
|--------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| | | | | |
| | | | 1 — L | |
| | | | | |
| 1-way | | | | |
| <input type="checkbox"/> White | KBN31_1_WE KBN31_1_WE_G11 | KBN32_1_WE KBN32_1_WE_G11 | KBN33_1_WE KBN33_1_WE_G11 | KBN34_1_WE KBN34_1_WE_G11 |
| | 1G | 2G | 3G | 4G |

| | | | | |
|--------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| | | | | |
| | | | 2 — 1 — L | |
| | | | | |
| 2-way | | | | |
| <input type="checkbox"/> White | KBN31_2_WE KBN31_2_WE_G11 | KBN32_2_WE KBN32_2_WE_G11 | KBN33_2_WE KBN33_2_WE_G11 | KBN34_2_WE KBN34_2_WE_G11 |
| | 1G | 2G | | |

| | | | | |
|--------------------------------|------------------------------|------------------------------|------------------|--|
| | | | | |
| | | | 1 2 3 4 | |
| | | | | |
| Inter mediate | | | | |
| <input type="checkbox"/> White | KBN31IM_WE KBN31IM_WE_G11 | KBN32IM_WE KBN32IM_WE_G11 | | |

Switches – 16 AX – 250 V AC

| | | | | |
|--------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| | 1G | 2G | 3G | 4G |
| | | | | |
| | | | 1 — L | |
| | | | | |
| 1-way | | | | |
| <input type="checkbox"/> White | KBN3116_1_WE KBN3116_1_WE_G11 | KBN3216_1_WE KBN3216_1_WE_G11 | KBN3316_1_WE KBN3316_1_WE_G11 | KBN3416_1_WE KBN3416_1_WE_G11 |
| | 1G | 2G | 3G | 4G |

| | | | | |
|---------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| | | | | |
| | | | 2 — 1 — L | |
| | | | | |
| 2-way | | | | |
| <input type="checkbox"/> White | KBN3116_2_WE KBN3116_2_WE_G11 | KBN3216_2_WE KBN3216_2_WE_G11 | KBN3316_2_WE KBN3316_2_WE_G11 | KBN3416_2_WE KBN3416_2_WE_G11 |
| <input type="checkbox"/> Red | KBN3116_2_RD_G11 | KBN3216_2_RD_G11 | KBN3316_2_RD_G11 | -- |
| <input type="checkbox"/> Yellow | KBN3116_2_YL_G11 | KBN3216_2_YL_G11 | KBN3316_2_YL_G11 | |





| | | |
|--------------------------------|---------------------------|-------------------------|
| | 1G | 2G |
| | 2-pole | |
| | | |
| | | |
| 1-way | | |
| <input type="checkbox"/> White | KBN31D20N_WE | KBN32D20N_WE |
| | KBN31D20N_WE_G11 | KBN32D20N_WE_G11 |
| | 1G | |
| | 2-pole | |
| | | |
| | | |
| 2-way | | |
| <input type="checkbox"/> White | KBN31D20N_2_WE | |
| | KBN31D20N_2_WE_G11 | |

Switches with LED Indicator – 32 A – 250 V AC

| | |
|--------------------------------|-------------------------|
| | 1G |
| | 2-pole |
| | |
| | |
| 1-way | |
| <input type="checkbox"/> White | KBN31D32N_WE |
| | KBN31D32N_WE_G11 |

Switches with LED Indicator – 45 A – 250 V AC

| | |
|--------------------------------|-------------------------|
| | 1G |
| | 2-pole |
| | |
| | |
| 1-way | |
| <input type="checkbox"/> White | KBN31D45N_WE |
| | KBN31D45N_WE_G11 |

Door Exit Press Switch – 10 A – 250 V AC

| | |
|--------------------------------|------------------------|
| | 1G |
| | |
| <input type="checkbox"/> White | KBN31DEP_WE |
| | KBN31DEP_WE_G11 |

Universal Dimmer with Switch

| | |
|--------------------------------|---------------------------|
| | 1G |
| | |
| 1-way | |
| <input type="checkbox"/> White | KBN31RD250U_WE |
| | KBN31RD250U_WE_G11 |





| | 1G | 2G | 3G |
|--------------------------------|------------------------------|------------------------------|------------------------------|
| | | | |
| 1-way | | | |
| <input type="checkbox"/> White | KBN31PR_WE KBN31PR_WE_G11 | KBN32PR_WE KBN32PR_WE_G11 | KBN33PR_WE KBN33PR_WE_G11 |

Universal Shaver – 115 /240 V AC

| | 1G |
|--------------------------------|--------------------------------|
| | |
| <input type="checkbox"/> White | KBNT727V_WE KBNT727V_WE_G11 |

DND, PCU Indicator with Bell Switch

| | 1G |
|--------------------------------|----------------------------------|
| | |
| <input type="checkbox"/> White | KBN31BPDM_WE KBN31BPDM_WE_G11 |

Mechanical Curtain Switch with LED Indicator – 10 A

| | 1G |
|--------------------------------|------------------------------|
| | |
| <input type="checkbox"/> White | KBN32CF_WE KBN32CF_WE_G11 |

Switch with DND, PCU Symbol – 16 AX – 250 V AC

| | 1G |
|--------------------------------|--------------------------------|
| | |
| <input type="checkbox"/> White | KBN32DMS_WE KBN32DMS_WE_G11 |

Night Foot Lamp with PIR Sensor

| | 1G |
|--------------------------------|--------------------------------|
| | |
| <input type="checkbox"/> White | KBNPFLIR_WE KBNPFLIR_WE_G11 |

Electronic Key Card Switch – 16 A - 250 V AC

| | 1G |
|--------------------------------|--------------------------------|
| | |
| <input type="checkbox"/> White | KBN31EKT_WE KBN31EKT_WE_G11 |

| | 1G |
|--------------------------------|-------------|
| | |
| <input type="checkbox"/> White | KBN31KPB_WE |

Door Chime

| | 1G |
|--------------------------------|------------------------------|
| | |
| <input type="checkbox"/> White | KBN31DC_WE KBN31DC_WE_G11 |





| | 1G | 2G |
|--------------------------------|------------------|-------------------|
| | | |
| <input type="checkbox"/> White | KBN426_16S_WE_G3 | KBNT426_16S_WE_G3 |

Universal Sockets – 16 A – 250 V AC

| | 1G, 3-pin | 2G, 3-pin |
|--------------------------------|-------------------|--------------------|
| | | |
| <input type="checkbox"/> White | KBN426UEST_WE_G19 | KBNT426UEST_WE_G19 |

Switched Sockets – 13 A – 250 V AC

| | 1G | 1G Dolly | 2G |
|--|--------------------------|----------------------|----------------------------|
| | | | |
| <input type="checkbox"/> White | KBN15_WE KBN15_WE_G11 | -- KBN15_RDWE_G11 | KBNT25_WE KBNT25_WE_G11 |
| <input checked="" type="checkbox"/> Red | KBN15_RD_G11 | KBN15_YLWE_G11 | -- |
| <input checked="" type="checkbox"/> Yellow | KBN15_YL_G11 | -- | -- |

Switched Socket – 15 A – 250 V AC

| | 1G, 3-pin |
|--------------------------------|--------------------------------|
| | |
| <input type="checkbox"/> White | KBN15_15_WE KBN15_15_WE_G11 |

Switched International Sockets – 16 A – 250 V AC

| | 1G | 2G |
|--------------------------------|--------------------------------|----------------------------------|
| | | |
| <input type="checkbox"/> White | KBN15_IS_WE KBN15_IS_WE_G11 | KBNT25_IS_WE KBNT25_IS_WE_G11 |





| | | |
|--------------------------------|-----------------|------------------|
| | 1G | 2G |
| | Type (A+C) | |
| | | |
| <input type="checkbox"/> White | KBN15USB_WE | KBNT25USB_WE_G11 |
| | KBN15USB_WE_G11 | KBNT25USB_WE_G2 |
| | KBN15USB_WE_G2 | |

Switched International Sockets with USB Charger – 2.1 A

| | | |
|--------------------------------|--------------------|--------------------|
| | 1G | |
| | Type (A+C) | |
| | | |
| | | KBNT25USB_IS_G11 |
| | | KBNT25USB_IS_WE_G2 |
| <input type="checkbox"/> White | KBN15USB_IS_WE | |
| | KBN15USB_IS_WE_G11 | |
| | KBN15USB_IS_WE_G2 | |

Vivace E

U SB Chargers

USB Charger – 21 W

| | |
|--------------------------------|-----------------------|
| | 1G |
| | Type (A+C), PD+QC 3.0 |
| | |
| <input type="checkbox"/> White | KBNACQUSB_WE |
| | KBNACQUSB_WE_G11 |
| | KBNACQUSB_WE_G2 |



Fused Connection Unit with LED Indicator
 – 13 A – 250 V AC

| | |
|---|--------------------|
| 1G | |
|  | |
| <input type="checkbox"/> White | KBN31FSG_WE |

Connection Unit – 25 A – 250 V AC

| | |
|---|--|
| 1G | |
|  | |
| <input type="checkbox"/> White | KBN31TB_WE KBN31TB_WE_G11 |

IP25 Connection Unit – 25 A – 250 V AC

| | |
|---|-------------------------|
| 1G | |
|  | |
| <input type="checkbox"/> White | KBN31IPTB_WE_G11 |

Connection Unit – 45 A – 250 V AC

| | |
|---|--------------------|
| 1G | |
|  | |
| <input type="checkbox"/> White | KBN31554_WE |

Cat. 5 Telephone Socket

| | |
|---|----------------------|
| 1G | |
|  | |
| <input type="checkbox"/> White | KBN32TDRJ6_WE |

Shuttered Telephone Socket

| | | | |
|---|--------------------|---|--------------------|
| 1G | | 2G | |
|  | |  | |
| <input type="checkbox"/> White | KBN31RJ4_WE | <input type="checkbox"/> White | KBN32RJ4_WE |

Cat. 5e Socket


| | | | |
|---|--------------------|---|--------------------|
| 1G | | 2G | |
|  | |  | |
| <input type="checkbox"/> White | KBN31RJ5_WE | <input type="checkbox"/> White | KBN32RJ5_WE |





Communication Outlets


TV Socket – 75 Ohm




Cat. 6 Socket




Cable TVF Connector



SMAT TV, FM, F Socket



TV+TVF Socket



TV + Cat. 6 Socket



TVF + Cat. 6 Socket





KENTAT PRO ELECTRICAL (M) SDN BHD

202301050464 (1544378-H)

Vivace E

C over Frames and Accessories

Surround Plates

| | 2G | 3G |
|--------------------------------|---|--|
| |  |  |
| <input type="checkbox"/> White | KBNP_21_WE | KBNP_31_WE |

| | 4G |
|--------------------------------|--|
| |  |
| <input type="checkbox"/> White | KBNP_41_WE |

| | 5G |
|--------------------------------|---|
| |  |
| <input type="checkbox"/> White | KBNP_51_WE |

Blank Plate

| | 1G |
|--------------------------------|---|
| |  |
| <input type="checkbox"/> White | KBNP_30X_WE |

Threading Plate

| | 1G |
|--------------------------------|---|
| |  |
| <input type="checkbox"/> White | KBNP_30L_WE |